



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/587,814	07/28/2006	Mark J Papania	6395-68278-03	5324

46135 7590 01/22/2010
KLARQUIST SPARKMAN, LLP
121 S.W. SALMON STREET
SUITE 1600
PORTLAND, OR 97204

EXAMINER

SKORUPA, VALERIE LYNN

ART UNIT	PAPER NUMBER
----------	--------------

3771

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

01/22/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

tanya.harding@klarquist.com
docketing@klarquist.com

Office Action Summary	Application No. 10/587,814	Applicant(s) PAPANIA ET AL.	
	Examiner VALERIE SKORUPA	Art Unit 3771	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-63 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☒ Claim(s) 1-63 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Species of aerosol delivery device:

Species A - Fig. 1A: with slidable front portion

Species B - Fig. 2: with hinged front portion and latch button

Species C - Fig. 3A: with lever to displace actuator

Species D - Fig 23: with air pump disposed within handle portion

Upon election of one of the species above a further election of subspecies is required.

Subspecies of aerosolization element:

Subspecies L - Fig. 4A: vertical piercing prong

Subspecies M - Fig. 6: angled piercing prong

Subspecies N - Fig. 7A: with sealing tapes

Subspecies O – Fig. 10A: with orifice plate

Subspecies P – Fig. 22B: with spacer element

Upon election of subspecies N above a further election of subspecies is required.

Subspecies of components in aerosolization element

Subspecies NA - Fig. 8A/B: with two liquid components

Subspecies NB - Fig. 9A: with one liquid component and one
dry component

Upon election of one of subspecies L, M, N, O, or P above a further election of
subspecies is required.

Subspecies of interface:

Subspecies Q - Fig. 11: with extension portion and inspiratory air
openings

Subspecies R - Fig. 12: with extension portion and one-way
expiratory valve

Subspecies S - Fig. 13: with extension portion and porous mask

Subspecies T - Fig. 14: with air distribution
plenum

Subspecies U - Fig. 15: with no extension portion and porous mask

Subspecies V - Fig. 16: with baffles

Subspecies W - Fig. 17A: with flapper valve

Subspecies X - Fig. 18A: with duckbill valve

Subspecies Y - Fig. 19A: with angled flapper valve

Subspecies Z - Fig. 20A: with pivotally connected sealing member

Applicant is required, in reply to this action, to elect a single species to which the
claims shall be restricted if no generic claim is finally held to be allowable. The reply
must also identify the claims readable on the elected species, including any claims

subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

2. The following claim(s) are generic: 1, 26, 42, and 58.
3. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: the species of the aerosol delivery device lack the same or corresponding housing arrangement (i.e., slidable front portion or hinged front portion), the subspecies of the aerosolizing element lack the same arrangement of releasing the agents through the chamber (i.e., arrangement of piercing prong), and the subspecies of the interface lack the same mask/extension arrangement (i.e., valve arrangement).
4. No telephone call was made to request an oral election to the above restriction requirement, due to the complexity of the restriction.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the

Art Unit: 3771

requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

5. The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

6. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to VALERIE SKORUPA whose telephone number is (571)270-1479. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST, alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571)272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/VALERIE SKORUPA/
Examiner, Art Unit 3771

/Justine R Yu/
Supervisory Patent Examiner, Art Unit 3771